ELSEVIER

Ultrasonics 37 (2000) 711–714

Ultrasonics

www.elsevier.nl/locate/ultras

Author Index to Volume 37

Acevedo, P., see Moreno, E. 595
Achenbach, J.D., see Zhang, M. 9
Almqvist, M., Holm, A., Jansson, T., Persson, H.W. and Lindström, K.
High resolution light diffraction tomography: nearfield measurements of 10 MHz continuous wave ultrasound 343
Almqvist, M., Holm, A., Persson, H.W. and Lindström, K.
Characterization of air-coupled ultrasound transducers in the frequency range 40 kHz–2 MHz using light diffraction tomography 565
Anosov, A.A., see Passechnik, V.I. 63
Austin, J.C. and Challis, R.E.
Ultrasonic propagation through aqueous kaolin suspensions during degassing 299

Bai, J., Fan, Y., Li, X. and Li, X.
Tracing echo segment selecting method for strain reconstruction 51
Bai, J., Ding, C. and Fan, Y.
A multi-scale algorithm for ultrasonic strain reconstruction under moderate compression 511
Baldwin, K.C., Berndt, T.P. and Ehrlich, M.J.
Narrowband laser generation/air-coupled detection: ultrasonic system for on-line process control of composites 329
Bamberger, J.A., see Greenwood, M.S. 159
Bastos, C.A.C., Fish, P.J., Steel, R. and Vaz, F.
Doppler power spectrum from a Gaussian sample volume 623
Batra, N.K., see Schechter, R.S. 89
Belyi, V.N., Kazak, N.S., Pavlenko, V.K., Katranji, E.G. and Kurilkina, S.N.
Propagation of ultrasonic beams in paratellurite crystal 377
Benchaala, A., see Zergoug, M. 703
Berndt, T.P., see Baldwin, K.C. 329
Bezemer, R.A., see Teirlinck, C.J.P.M. 173
Billson, D.R., see Hutchins, D.A. 263
Birer, A., see Lafon, C. 615
Bjørnø, I.K., see Überall, H. 673
Bjørnø, L., see Überall, H. 673
Bonnin, A., Huchon, R. and Deschamps, M.
Ultrasonic waves propagation in absorbing thin plates. Application to paper characterization 555
Boucherrou, N., see Zergoug, M. 703
Bouchilloux, P., see Zhang, J. 387
Büttgenbach, S., see Herrmann, F. 335

Cai, L.-W. and Williams Jr. J.H.
Large-scale multiple scattering problems 453
Cai, L.-W. and Williams Jr. J.H.
Full-scale simulations of elastic wave scattering in fiber-reinforced composites 463
Cai, L.-W. and Williams Jr. J.H.
NDE via stop band formation in fiber reinforced composites having square fiber arrangements 483
Carotenuto, R., see Lamberti, N. 577
Castillo, M., see Moreno, E. 595
Cathignol, D., see Lafon, C. 615
Cawley, P., see Evans, M.J. 589
Certon, D., see Pizarro, L. 493
Challis, R.E., see Austin, J.C. 299
Chang, C.C. and Lin, W.J.
Study and fabrication of the $PbTiO_3$ thin film acoustic sensors 585
Chapelon, J.Y., see Lafon, C. 615
Cheeke, J.D.N., see Shannon, K. 303
Chiang, C.-H. and Tang, C.-K.
Experimental study on the acoustic wave velocity in steel-reinforced mortar under external pull-out load 223
Chosson, S., see Lafon, C. 615
Claeys, W., see Deschamps, M. 677
Cudel, C., see Grevillot, M. 417

Daly, C.J. and Rao, N.A.H.K.
Time- and frequency-domain descriptions of spatially averaged one-way diffraction for an unfocused piston transducer 209
De Billy, M. and Hladky-Hennion, A.C.
The effect of imperfections on acoustic wave propagation along a wedge waveguide 413
Delamare, S., Lefebvre, J.-P. and Wirgin, A.
Ghosts in the Born images of a layer probed by acoustic waves 633
Delsanto, P.P., see Schechter, R.S. 89
Deschamps, M., see Bonnin, A. 555
Deschamps, M., Poncelet, O., Dilhaire, S. and Claeys, W.
Surface acoustic waves at the vacuum-thermoviscoelastic solid interface 677
Dilhaire, S., see Deschamps, M. 677
Ding, C., see Bai, J. 511
Dixon, S., Edwards, C. and Palmer, S.B.
A laser–EMAT system for ultrasonic weld inspection 273
Djelouah, H., see Khelladi, H. 697
Duqennoy, M., Ouaftouh, M. and Ourak, M.
Determination of stresses in aluminium alloy using optical detection of Rayleigh waves 365
Durinck, G., Thys, W., Rembert, P. and Izbicki, J.-L.
Experimental observation on a frequency spectrum of a plate mode of a predominantly leaky nature 373

Edee, M.K.A.
Tissue structure study through ultrasonic forward scattering 645
Edwards, C., see Dixon, S. 273
Ehrlich, M.J., see Baldwin, K.C. 329

0041-624X/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0041-624X(00)00031-7

Elvira-Segura, L.
Acoustic wave dispersion in a cylindrical elastic tube filled with a viscous liquid 537
Erofeev, A.V., see Passechnik, V.I. 63
Evans, M.J., Webster, J.R. and Cawley, P.
Design of a self-calibrating simulated acoustic emission source 589

Fan, Y., see Bai, J. 51
Fan, Y., see Bai, J. 511
Fish, P., see Teirlinck, C.J.P.M. 173
Fish, P.J., see Bastos, C.A.C. 623
Fredfeldt, K.-E., see Teirlinck, C.J.P.M. 173

Ginter, S.
Numerical simulation of ultrasound-thermotherapy combining nonlinear wave propagation with broadband soft-tissue absorption 693
Gorbatsevich, F.F.
Acoustic polarization method for determining elastic symmetry and constants of anisotropy in solid media 309
Graham, G., Petzing, J.N. and Lucas, M.
Modal analysis of ultrasonic block horns by ESPI 149
Graham, G., Petzing, J.N. and Lucas, M.
Extracting modal parameters of ultrasonic bar horns from ESPI FRF data 231
Green Jr. R.E., see Lanza di Scalea, F. 179
Greenwood, M.S., Skorpik, J.R., Bamberger, J.A. and Harris, R.V.
On-line ultrasonic density sensor for process control of liquids and slurries 159
Grevillot, M., Cudel, C., Meyer, J.J. and Jacquey, S.
Two approaches to multiple specular echo detection using split spectrum processing: moving bandwidth minimization and mathematical morphology 417

Haddad, A., see Zergoug, M. 703
Hall, I.D., McNab, A. and Hayward, G.
Improved ultrasonic image generation through tomographic image fusion 433
Halliwell, M., see Shipley, J.A. 123
Hammouda, A., see Zergoug, M. 703
Harris, R.V., see Greenwood, M.S. 159
Hayward, G., see Hall, I.D. 433
He, P.
Direct measurement of ultrasonic dispersion using a broadband transmission technique 67
Herrmann, F., Weihnacht, M. and Büttgenbach, S.
Properties of shear-horizontal surface acoustic waves in different layered quartz–SiO_2 structures 335
Hines, E.L., see Hutchins, D.A. 263
Hladky-Hennion, A.C., see de Billy, M. 413
Holm, A., see Almqvist, M. 343
Holm, A., see Almqvist, M. 565
Hopko, S.N. and Ume, I.C.
Laser generated ultrasound by material ablation using fiber optic delivery 1
Hoskins, P.R., see Teirlinck, C.J.P.M. 173
Hosten, B., see Pizarro, L. 493
Huchon, R., see Bonnin, A. 555
Huebner, W., see Liang, K. 201
Hughes, W.J., see Zhang, J. 387
Hughes, W.J., see Zhang, J. 523
Hunt, A.J., see Ridgway, P.L. 395
Hutchins, D.A., see Wright, W.M.D. 19
Hutchins, D.A., Pardoe, A.C., Billson, D.R. and Hines, E.L.
Neural network correction of ultrasonic C-scan images 263

Ihara, I., see Legros, N. 291
Imamura, T.
Deformation of ultrasonic pulse with diffraction 71
Isrefilov, M.G., see Passechnik, V.I. 63
Iula, A., see Lamberti, N. 577
Izbicki, J.-L., see Durinck, G. 373

Jacquey, S., see Grevillot, M. 417
Jansson, T., see Almqvist, M. 343
Jen, C.-K., see Legros, N. 291
Jensen, J.A., see Munk, P. 661
Jensen, J.A., see Nikolov, S.I. 667
Jhang, K.-Y. and Kim, K.-C.
Evaluation of material degradation using nonlinear acoustic effect 39
Jung, M., see Tönshoff, H.K. 681

Kaduchak, G., Sinha, D.N., Lizon, D.C. and Kelecher, M.J.
A non-contact technique for evaluation of elastic structures at large stand-off distances: applications to classification of fluids in steel vessels 531
Kaduchak, G., Sinha, D.N., Lizon, D.C. and Keleher, M.J.
Erratum to "A non-contact technique for evaluation of elastic structures at large stand-off distances: applications to classification of fluids in steel vessels" 657
Katranji, E.G., see Belyi, V.N. 377
Kazak, N.S., see Belyi, V.N. 377
Kelecher, M.J., see Kaduchak, G. 531
Keleher, M.J., see Kaduchak, G. 657
Khelladi, H. and Djelouah, H.
The size effects of a rigid reflector in the scattering of transient ultrasonic field 697
Khoury, M., Tourtollet, G.E. and Schröder, A.
Contactless measurement of the elastic Young's modulus of paper by an ultrasonic technique 133
Kim, K.-C., see Jhang, K.-Y. 39
Koch, C., see Wilkens, V. 45
Kollmann, C., see Teirlinck, C.J.P.M. 173
Kolomytsev, V.I., see Steckmann, H. 59
Komarova, L.N., see Petin, V.G. 79
Kozlov, A.V., see Steckmann, H. 59
Krasnoslobodtsev, A.V., Lyakhov, G.A. and Shipilov, K.F.
Self-action of ultrasonic beams for biological applications 247
Kunkel. H., see Liang, K. 201
Kurilkina, S.N., see Belyi, V.N. 377

Lafon, C., Chosson, S., Prat, F., Theillère, Y., Chapelon, J.Y., Birer, A. and Cathignol, D.
The feasibility of constructing a cylindrical array with a plane rotating beam for interstitial thermal surgery 615
Lamberti, N., see Sánchez, S. 97
Lamberti, N., Montero de Espinosa, F.R., Iula, A. and Carotenuto, R.
Two-dimensional modelling of multifrequency piezocomposites 577

Lanza di Scalea, F. and Green Jr. R.E.
Experimental observation of the intrusive effect of a contact transducer on ultrasound propagation 179
Lefebvre, J.-P., see Delamare, S. 633
Legros, N., Jen C.-K. and Ihara, I.
Ultrasonic evaluation and application of oriented polymer rods 291
Lemmin, U., see Shen, C. 603
Lethiecq, M., see Pizarro, L. 493
Li, X., see Bai, J. 51
Li, X., see Bai, J. 51
Li, X., see Shannon, K. 303
Liang, K., Oakley, C., Huebner, W. and Kunkel, H.
Acoustic characterization of ultrasonic transducer materials: II. The effect of curing agent in binary epoxy blends on acoustic properties 201
Lin, S. and Zhang, F.
Measurement of ultrasonic power and electro-acoustic efficiency of high power transducers 549
Lin, W.J., see Chang, C.C. 585
Lindström, K., see Almqvist, M. 343
Lindström, K., see Almqvist, M. 565
Liu, Y.-H., see Wu, T.-T. 23
Liu, Y.-H., see Wu, T.-T. 405
Lizon, D.C., see Kaduchak, G. 531
Lizon, D.C., see Kaduchak, G. 657
Lubbers, J., see Teirlinck, C.J.P.M. 173
Lucas, M., see Graham, G. 149
Lucas, M., see Graham, G. 231
Lyakhov, G.A., see Krasnoslobodtsev, A.V. 247

Männel, S., see Tönshoff, H.K. 681
Matsuda, Y., see Nakano, H. 257
McNab, A., see Hall, I.D. 433
Meyer, J.J., see Grevillot, M. 417
Meyer Jr. R.J., see Zhang, J. 387
Meyer Jr. R.J., see Zhang, J. 523
Mignogna, R.B., see Schechter, R.S. 89
Montero de Espinosa, F.R., see Sánchez, S. 97
Montero de Espinosa, F.R., see Lamberti, N. 577
Moreno, E., Acevedo P. and Castillo, M.
Thickness measurement in composite materials using lamb waves. Viscoelastic effects 595
Motegi, K. and Toda, K.
Interaction between two leaky Lamb wave modes propagating in a water-loaded bilayer consisting of a piezoelectric ceramic plate and a glass plate 141
Motegi, K. and Toda, K.
Fluid-loading effect on interaction between two leaky Lamb wave modes propagating in a bilayer substrate 321
Motegi, K.
Ultrasound radiation into water by a Lamb wave device using a piezoelectric ceramic plate with spatially varying thickness 505
Moulti, B., see Zergoug, M. 703
Mozhaev, V.G. and Weihnacht, M.
Incredible negative values of effective electromechanical coupling coefficient for surface acoustic waves in piezoelectrics 687
Munk, P. and Jensen, J.A.
A new approach for the estimation of the axial velocity using ultrasound 661
Murayama, R.
Study of driving mechanism on electromagnetic acoustic transducer for Lamb wave using magnetostrictive effect and application in drawability evaluation of thin steel sheets 31

Nagai, S., see Nakano, H. 257
Nakano, H., Matsuda, Y. and Nagai, S.
Ultrasound detection by using a confocal Fabry–Perot interferometer with phase-modulated light 257
Newnham, R.E., see Zhang, J. 387
Newnham, R.E., see Zhang, J. 523
Nicholson, P.H.F. and Strelitzki, R.
Ultrasonic show waves in air-saturated cancellous bone 445
Nikolov, S.I. and Jensen, J.A.
Application of different spatial sampling patterns for sparse array transducer design 667

Oakley, C., see Liang, K. 201
Olofsson, T. and Stepinski, T.
Maximum a posteriori deconvolution of sparse ultrasonic signals using genetic optimization 423
Ouaftouh, M., see Duqennoy, M. 365
Ourak, M., see Duqennoy, M. 365

Palmer, S.B., see Dixon, S. 273
Pardoe, A.C., see Hutchins, D.A. 263
Passechnik, V.I., Anosov, A.A., Isrefilov, M.G. and Erofeev, A.V.
Experimental reconstruction of temperature distribution at a depth through thermal acoustic radiation 63
Pavlenko, V.K., see Belyi, V.N. 377
Persson, H.W., see Almqvist, M. 343
Persson, H.W., see Almqvist, M. 565
Petin, V.G., Zhurakovskaya, G.P. and Komarova, L.N.
Mathematical description of combined action of ultrasound and hyperthermia on yeast cells 79
Petzing, J.N., see Graham, G. 149
Petzing, J.N., see Graham, G. 231
Pizarro, L., Certon, D., Lethiecq, M. and Hosten, B.
Airborne ultrasonic electrostatic transducers with conductive grooved backplates: tailoring their centre frequency, sensitivity and bandwidth 493
Poncelet, O., see Deschamps, M. 677
Prat, F., see Lafon, C. 615

Quinby-Hunt, M., see Ridgway, P.L. 395

Ramnarine, K.V., see Teirlinck, C.J.P.M. 173
Rao, N.A.H.K., see Daly, C.J. 209
Rembert, P., see Durinck, G. 373
Ridgway, P.L., Hunt, A.J., Quinby-Hunt, M. and Russo, R.E.
Laser ultrasonics on moving paper 395
Rietz, W., see Tönshoff, H.K. 681
Rose, J.L., see Shin, H.J. 355
Russo, R.E., see Ridgway, P.L. 395

Sánchez, S., Montero de Espinosa, F.R. and Lamberti, N.
Multifrequency piezoelectric composites: one-dimensional modeling 97
Scalia, A. and Sumbatyan, M.A.
On efficient quantitative analysis in real-time ultrasonic detection of cracks 239
Schaarschmidt, U.G., see Teirlinck, C.J.P.M. 173
Schechter, R.S., Simmonds, K.E., Batra, N.K., Mignogna, R.B. and Delsanto, P.P.
Use of a transient wave propagation code for 3D simulation of cw radiated transducer fields 89

Schindel, D.W.
Air-coupled ultrasonic measurements of adhesively bonded multi-layer structures 185
Schröder, A., see Khoury, M. 133
Sellidj, F., see Zergoug, M. 703
Shannon, K., Li, X., Wang, Z. and Cheeke, J.D.N.
Mode conversion and the path of acoustic energy in a partially water-filled aluminum tube 303
Shen, C. and Lemmin, U.
Intensity fluctuations of ultrasonic scattering in a highly turbulent flow 603
Shin, H.J. and Rose, J.L.
Guided waves by axisymmetric and non-axisymmetric surface loading on hollow cylinders 355
Shipilov, K.F., see Krasnoslobodtsev, A.V. 247
Shipley, J.A., Halliwell, M. and Wells, P.N.T.
Localising an ultrasound beam travelling within the scan plane of a diagnostic ultrasound imager 123
Simmonds, K.E., see Schechter, R.S. 89
Sinha, D.N., see Kaduchak, G. 531
Sinha, D.N., see Kaduchak, G. 657
Skorpik, J.R., see Greenwood, M.S. 159
Steckmann, H., Kolomytsev, V.I. and Kozlov, A.V.
Acoustoplastic effect in the shape memory alloy Ni–Ti–Re at ultrasonic frequency 59
Steel, R., see Bastos, C.A.C. 623
Stepinski, T., see Olofsson, T. 423
Strelitzki, R., see Nicholson, P.H.F. 445
Sumbatyan, M.A., see Scalia, A. 239
Sun, Z. and Ying, H.
A multi-gate time-of-flight technique for estimation of temperature distribution in heated tissue: theory and computer simulation 107

Tahraoui, H., see Zergoug, M. 703
Tang, C.-K., see Chiang, C.-H. 223
Teirlinck, C.J.P.M., Bezemer, R.A., Kollmann, C., Lubbers, J., Hoskins, P.R., Ramnarine, K.V., Fish, P., Fredfeldt, K.-E. and Schaarschmidt, U.G.
Erratum to 'Development of an example flow test object and comparison of five of these test objects, constructed in various laboratories [Ultrasonics 36 (1998) 653–660]' 173
Theillère, Y., see Lafon, C. 615
Thys, W., see Durinck, G. 373
Toda, K., see Motegi, K. 141
Toda, K., see Motegi, K. 321
Tönshoff, H.K., Jung, M., Männel, S. and Rietz, W.
Using acoustic emission signals for monitoring of production processes 681
Tourtollet, G.E., see Khoury, M. 133

Überall, H., Bjørnø, I.K. and Bjørnø, L.
Dispersion of circumferential waves on evacuated, water-loaded spherical steel shells 673
Uchino, K., see Zhang, J. 387
Uchino, K., see Zhang, J. 523
Ume, I.C., see Hopko, S.N. 1

Vaz, F., see Bastos, C.A.C. 623

Wang, L.
Determination of elastic constants of composites by time-resolved acoustic microscopy 283
Wang, Z., see Shannon, K. 303
Webster, J.R., see Evans, M.J. 589
Weihnacht, M., see Herrmann, F. 335
Weihnacht, M., see Mozhaev, V.G. 687
Wells, P.N.T., see Shipley, J.A. 123
Wilkens, V. and Koch, C.
Fiber-optic multilayer hydrophone for ultrasonic measurement 45
Williams Jr. J.H., Williams Jr. J.H., see Cai, L.-W. 453
Williams Jr. J.H., Williams Jr. J.H., see Cai, L.-W. 463
Williams Jr. J.H., Williams Jr. J.H., see Cai, L.-W. 483
Wirgin, A., see Delamare, S. 633
Wright, W.M.D. and Hutchins, D.A.
Air-coupled ultrasonic testing of metals using broadband pulses in through-transmission 19
Wu, T.-T. and Liu, Y.-H.
Inverse determinations of thickness and elastic properties of a bonding layer using laser-generated surface waves 23
Wu, T.-T. and Liu, Y.-H.
On the measurement of anisotropic elastic constants of fiber-reinforced composite plate using ultrasonic bulk wave and laser generated Lamb wave 405

Ying, H., see Sun, Z. 107

Zergoug, M., Boucherrou, N., Haddad, A., Benchaala, A., Moulti, B., Tahraoui, H., Sellidj, F. and Hammouda, A.
Thermally affected characterization region by Barkhausen noise 703
Zhang, F., see Lin, S. 549
Zhang, J., Hughes, W.J., Bouchilloux, P., Meyer Jr. R.J., Uchino, K. and Newnham, R.E.
A class V flextensional transducer: the cymbal 387
Zhang, J., Hughes, W.J., Meyer Jr. R.J., Uchino, K. and Newnham, R.E.
Cymbal array: a broad band sound projector 523
Zhang, M. and Achenbach, J.D.
Simulation of self-focusing by an array on a crack in an immersed specimen 9
Zhurakovskaya, G.P., see Petin, V.G. 79

ELSEVIER

Ultrasonics 37 (2000) 715–716

Ultrasonics

www.elsevier.nl/locate/ultras

Subject Index to Volume 37

Ablation, 1
Acoustic dispersion, 247
Acoustic emission, 589, 681
Acoustic properties, 201
Acoustic sensors, 585
Acoustic wave velocity, 223
Acoustics, 633, 677
Acousto-elasticity, 365
Acoustopolariscopy, 309
Adhesively bonded structures, 185
Air, 299, 445
Air-coupled, 565
Air-coupled transducers, 329
Air-coupled ultrasonics, 185
Air-coupled ultrasound, 19, 493, 531
Analysis, 149, 231
Anisotrophy, 309
Apex imperfection, 413
Argand diagram, 373
Array, 9, 667
Array modeling, 523
Artifacts, 633
Asymmetrical relations, 505
Attenuation, 67, 537, 555
Autocorrelation function, 645
A-wave (Scholte–Stoneley wave), 673

Barkhausen noise, 703
Beam divergence, 377
Biot's theory, 445
Bleustein–Gulyaev wave, 687
Blood flow, 623
Blood velocity estimation, 661
Bond stress, 223
Bonding layer, 23
Born approximation, 633
Bubbles, 299
Buffer rod, 291

Cancellous bone, 445
Capacitance transducer, 493
CFRP, 405
Characterization, 343, 565
Circular flat transducer, 71
Circumferential shell wave, 673
Circumferential waves, 303
Composite inspection, 329
Composites, 283, 463, 483
Compression, 511
Conical transducers, 589
Constants of elasticity, 309
Correlation, 511
Coupling coefficient, 335
Crack, 9, 239
C-scan, 263
Curing agent, 201
Cylindrical array, 615

Dark fringe, 257
Deconvolution, 423
Deformation, 59
Density of fluid, 321
Density sensor, 159
Deterministic model, 463
Diffraction, 71, 209
Dispersion, 67
Dispersion curves, 355, 673
Doppler spectrum, 623
Doppler ultrasound, 623

Effective dielectric constant, 335
Elastic constants, 283
Elastic moduli, 133
Elastic tube, 537
Elastic waves, 453, 463, 483
Elasticity, 31
Elastography, 51, 511
Electro-acoustic efficiency, 549
Electromagnetic acoustic transducer, 31, 273
Electromechanical coupling coefficient, 687
Electrostatic transducer, 19, 493
Epoxy blends, 201
Esophageal applications, 615
ESPI, 149, 231

Fabry–Perot interferometer, 179, 257
Fast Fourier transform, 179, 703
FEA modeling, 387
Fiber-optic sensors, 45
Finite differences, 89
Flextensional transducer, 387, 523
Flexural modes, 355
Fluid loading, 303
Fluid-loaded bilayer, 321
Focusing, 377
Focusing objective, 1
Forward scattering, 645
2D Fourier, 661
Fourier transform, 239
Full-scale simulation, 463
Fuzzy logic, 433

Gaussian sample volume, 623
Genetic algorithms, 423
Grinding, 681
Group velocity, 335
Guidance, 123
Guided waves, 355

Hard turning, 681
Heterodyne signal detection technique, 39
HIFU, 123
High modes, 537
Higher order harmonic wave, 39
Hollow cylinders, 355
Hyperthermia, 79

Image enhancement, 263
Image fusion, 433
Imagery, 633
Imaging, 123
Incidence, 239
Inhomogeneous plate, 505
Insonification, 645
Intensity fluctuations, 603
Interdigital transducer, 505
Interferometry, 149, 231
Interstitial hyperthermia, 615
Inverse problem, 23
Iron and steel, 31

Kaolin, 299

Lamb waves, 31, 303, 373, 395, 405, 505, 531, 555, 595, 673
Laser electronics, 1
Laser generated ultrasound, 273, 329
Laser interferometry, 677
Laser ultrasonics, 23, 179, 257, 395, 405
Leaky Lamb wave, 141, 321
Leaky mode, 373
Light diffraction tomography, 343, 565
Liquid density measurements, 159
Liquid level sensor, 303
Localisation, 123
Lommel functions, 209
Love modes, 335

Machining, 149, 231
Magnetic field, 31, 703
Magnetostrictive effect, 31
Material degradation, 39

0041-624X/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0041-624X(00)00032-9

Mathematical model, 79
Measurements, 309, 549
Metals, 19
Microstructure, 603, 703
Minimization, 417
Mode conversion, 303
Mode coupling, 141, 321
Modeling methods, 31
Moduli, 201
Moisture, 555
Multifrequency composites, 577
Multilayer interference filter, 45
Multi-layer structures, 185
Multiple scattering, 453, 463
Multiple target detection, 417
Multi-scale, 511

Nearfield, 343
Neural network, 263
Non-axisymmetric, 355
Nondestructive evaluation, 31
Non-destructive evaluation, 405, 555
Non-destructive testing, 19, 273, 395, 423, 433, 531, 703
Non-diffraction propagation, 377
Nonlinear acoustic effect, 39
Nonlinear elasticity, 39
Nonlinear modeling, 693
Non-linear thermal effects, 247
Numerical simulation, 89

On-line sensor, 159
Optical detection, 365
Optical fiber, 1
Optics, 1, 149, 231

Paper, 133, 395, 555
Parallel computing, 89
Parametric array, 531
Particle velocity, 71
Passive tomography, 63
$PbTiO_3$, 585
Phase modulator, 257
Phase transformation, 59
Phase velocity, 335
Piezoceramic composites, 577
Piezocomposite, 201
Piezoelectric, 585
Piezoelectric composites, 97
Piezoelectric transducers, 179
Piston transducer, 209
Planar transducers, 697
Plane rotating beam, 615
Plate shear waves, 555
Plate waves, 133
Point acoustic sources, 589
Poisson's ratio, 201
Polarized shear waves, 309
Potassium niobate, 687
Power spectrum, 645
Process control, 159
Process monitoring, 681
Pull-out tests, 223
Pulsed wave Doppler systems, 623
Pulses in plates, 595

Radiated fields, 89
Radiation of ultrasound, 505
Radon, 661
Rayleigh wave, 365, 687
Receiving sensitivity, 585
Reconstruction, 63
Reflection, 633
Reflection coefficients, 159
Remote characterization, 531
Residual stress, 365

Scatterer polymerization, 453
Scattering, 9, 239, 483
Scattering structure size, 645
Self-calibration, 589
Self-focusing, 9, 247
Self-induced transparency, 247
SH waves, 453
Shape memory alloy, 59
Simulation, 51, 511, 623
Simulations, 697
Slow wave, 445
Slurry density measurements, 159
Sound projector, 387, 523
Spacing, 645
Sparse, 667
Spatial resolution, 343, 565
Spectral width, 623
Specular echo imaging, 417
Speed of sound measurement, 159
Split spectrum processing, 417
Stop band, 483
Strain, 51
Strain reconstruction, 511
Subsurface integrity, 681
Surface acoustic waves, 687
Surface wave, 677
Suspension characterization, 159
Synergism, 79

Temperature, 63
Temperature coefficients, 335
Temperature distribution, 63
Temperature measurement, 107
Tensile strength, 133
Theoretical model, 185
Thermoelastic wave, 677
Thickness ratio, 141
Thin film, 585
Through-transmission, 19
Through-transmission spectra, 185
Time of flight, 107
Time-of-flight diffraction, 273
Time-resolved acoustic microscopy, 283
Tissue, 107
Tomography, 433, 633
Tortuosity, 445
Tracing segment selection, 51
Transducer array, 523
Transducers, 89, 97, 239, 549, 667
Transient mode, 373
Transient ultrasonic, 697
Transmission coefficient, 373
Transmitting intensity, 585
Turbulent flow, 603
Two-dimensional, 667

Ultrasonic beams, 377
Ultrasonic inspection, 31
Ultrasonic materials testing, 133
Ultrasonic measurement, 291
Ultrasonic NDE, 483
Ultrasonic power, 549
Ultrasonic pressure measurement, 45
Ultrasonic pulse, 71
Ultrasonic scattering, 603
Ultrasonic sensor, 159
Ultrasonics, 59, 299, 555
Ultrasound, 51, 67, 79, 123, 149, 209, 231, 247, 423, 511
Ultrasound thermotherapy, 693
Ultrasound transducers, 343, 565
Underwater sound, 387, 523
Underwater transducer, 387, 523

Vacuum, 299
Velocity, 537
Velocity dispersion, 299
Velocity dispersion curves, 141, 321
Viscoelastic materials, 595
Viscoelasticity, 555
Viscosity, 291
Visualisation, 123

Water-loaded bilayer, 141
Waveform distortion, 51
Waveguide, 537
Wedge waveguide, 413
Welding, 703
Weld inspection, 273

Yeast cells, 79